



## Easy Pro View Pan/Tilt HD IP Camera

Fully app controlled video surveillance

EM6275  
EAN: 8716065329155  
Mastercarton: 10

Packaging contents: EM6275, Power supply cable length approx. 3.0m, Network cable, Screws and plugs, Mounting bracket, CD-ROM, Quick install guide, ID/Password card, Window Sticker

### OVERVIEW

- Ready to use in 3 steps
- Easy set-up: knowledge of network settings is not necessary
- Pan/Tilt camera: horizontal and vertical movement
- HD lens for clear images
- Fully configured and controlled with the app
- Dual lens technology: perfect images both day and night
- Push Notifications: direct message during an alarm
- 5 Seconds pre-recording
- Two-way voice communication with internal speaker
- 5-Year warranty
- Accessible helpdesk
- Multilingual user manual
- Easy installation



### SYSTEM REQUIREMENTS

- Wired or wireless network.

### COMPATIBLE OPERATING SYSTEM

- Compatible with mobile devices like Android smartphones or tablets, iPhone or iPad and PC with Windows, Apple MacOSX

## Easy Pro View Pan/Tilt HD IP Camera

Fully app controlled video surveillance

### SPECIFICATIONS

- Dimensions in mm. (WxHxD): 75x117x80, weight in grams: 279
- Power usage: 4W, Power: DC 5V, 1.5A
- Network interface: Ethernet 10BaseT/100BaseTX, Auto-MDIX, RJ-45
- Wireless interface: IEEE 802.11b/g/n max 150 Mbps
- Pan/Tilt control: Pan viewing range 340° ( -170° ~ 170° ) Tilt viewing range 130° ( -40° ~ 90° )
- Image sensor: RGB HD megapixel 1/4 inch CMOS sensor, day and night separate sensors
- Automatic exposure control
- Automatic white balance,
- Automatic gain control
- Automatic brightness control.
- Light sensitivity: 0.2 Lux ( IR LED off )
- 0 Lux (with 10 meters IR LED on)
- Automatically turn on the IR LED on low light environment.
- Lenses: 3.3 mm, F2.8, viewing angle: 70°, fixed iris  
focus range: 50 cm to infinity  
day and night separate lenses
- Buttons: One reset button, to factory default settings  
One WPS button for automatic WiFi setup
- Indicators: One LED for Internet connection status indication  
One LED for Ethernet connection indication  
One LED for SD card recording indication
- Video compression: H.264, baseline profile level 3.1
- Video streaming: Separate frame rate/resolution/bandwidth settings for PC and mobile.
- Video resolution: 1280x800, 1024x768, VGA(640x480), QVGA(320x240)
- Bandwidth: 64k, 128k, 256k, 512k, 768k, 1M, 1.2M, 1.5, 2, 3 Mbps
- Frame rate: 1~5, 10, 15, 20, 25, 30 fps
- Audio: Built-in microphone for audio monitoring
- Built-in 0.5W speaker for alarm and half-duplex two-way audio.
- Audio compression: G.711
- Security: Web management username/password protection
- WiFi WEP and WPA/WPA2 security mode
- Installation, management and maintenance: Plug & play by ID/password.
- Web browsing: Built-in web server for standard web browser access
- Video display on Internet Explorer browser
- Video snapshot on any browser
- Supported protocols: IPv4, HTTP (ActiveX), TCP, ICMP, RTSP, RTP, UDP, RTCP, SMTP, SNMP, FTP, DHCP, ARP, DNS, PPPoE.
- Video management software: Surveillance software for viewing and archiving up to 36 cameras
- Users: Up to 20 simultaneous unicast users (depends on video settings)
- Alarm and event management: Events triggered by motion and sound detection
- Email/ftp alarm message: Push notification on iPhone/iPad and Android devices.
- Micro-SD Card reader: Supports up to 32GB Micro-SD Card
- Operating conditions: 0-50 °C
- Humidity: 20 – 80% RH (non-condensing)

## Easy Pro View Pan/Tilt HD IP Camera

Fully app controlled video surveillance

### DESCRIPTION

**The EM6275 Easy Pro View Pan/Tilt HD IP Camera secures your home and office easily. The EM6275 is completely configurable and controllable with the app and ready to use within only 3 steps. The HD dual lens technology ensures perfect images both day and night. Thanks to its pan/tilt function with horizontal and vertical movements the camera surveys a wider area than a fixed IP camera. A direct push notification is sent during an alarm. Watch and listen along with the live images. You are always up-to-date of every event in your home. Moreover, there are no subscription fees needed.**

#### **Ready to use in 3 steps: no knowledge of network setting required**

The EM6275 Easy Pro View Pan/Tilt HD IP Camera is ready to use within only 3 steps. Connect the IP camera to your network, download the app on you smartphone or tablet and fill out the user name and password. You can access the EM6275 Easy Pro View Pan/Tilt HD IP Camera via Internet everywhere in the world.

#### **Dual lens technology and HD sensor: perfect images both day and night**

The EM6275 Easy Pro View Pan/Tilt HD IP Camera has two lenses with HD sensors. One lens with a HD sensor for the day and one lens with a HD sensor for the night. The camera switches automatically between both lenses. You will have perfect images 24/7.

#### **Push notifications: receive directly a notification during an alarm**

Receive immediately a notification on your smartphone or tablet when the IP camera detects any movement or sound. Even when your smartphone or tablet are in stand-by mode. You will be up-to-date anywhere of all events at home (via the Internet).

#### **Wide viewing angle by pan/tilt**

Watch every corner of your room with this EM6275 Easy Pro View Pan/Tilt HD IP camera with help of the pan/tilt function. The camera moves 340° horizontally and 130° vertically. Control the EM6275 with the Easy Pro View app. Move the camera in the direction you want by swiping your finger over the screen of your tablet or smartphone.

Fully configurable and controllable via the free app

Configure the EM6275 completely via your smartphone or tablet with the special Android and iOS app. All functionalities are controllable via the app.

#### **Detection and recordings in 1**

If the camera detects any sound or movement, the images are recorded and stored on a Micro SD Card\*, NAS or Dropbox. Playback the images easily via the app without connecting an external recorder.

#### **5 Seconds pre-recording: critical moment is caught on camera**

Of course you do want to know what activated the alarm. The 5 seconds pre-recording function makes sure that all events related to the triggered alarm are caught on camera.

#### **Two-way voice communication: listen along and speak back by built-in microphone and speaker**

Listen along during an alarm by the camera's built-in microphone. You know exactly what is going on in the surroundings of the camera. It is even possible to speak back or to warn with a siren via the built-in speaker.<br>

\* Micro SD card not included

## Easy Pro View Pan/Tilt HD IP Camera Fully app controlled video surveillance

### IMAGES

