

ACT Single Mode Fiber Optic duplex patch cable 9/125 OS2


Item : RL29xx

Revision : 1.0

Date : 14-05-2024


Drawn by : YMN

This drawing is proprietary information of ACT Connectivity Solutions and confidential and provided to you for internal use on a need to know basis only. This document may not be duplicated for or disseminated to any third party without the prior explicit written consent of ACT Connectivity Solutions. Copies of this document, Printed or electronic, are uncontrolled and intended only for immediate use.



Specifications fiber	
Fiber type	Single Mode
Fiber class	OS2
Diameter core / cladding	9/125
Specifications optical performance	
Insertion Loss (IL) typical	0.1 dB
Insertion Loss (IL) maximum	0.2 dB
Return Loss (RL)	≥ 55 dB
Standard compliances	
ANSI/TIA-568-D	
ISO 11801 / IEC 60793-2	
Telcordia GR-326 CORE	
Fire performance	
Flame retardancy	IEC 60332-1-2
Smoke density LS	IEC 61034
Absence of halogen ZH	IEC 60754-1

Item	Length(m)
RL2901	1.00M
RL2951	1.50M
RL2902	2.00M
RL2903	3.00M
RL2905	5.00M
RL2910	10.0M
RL2915	15.0M
RL2920	20.0M
RL2930	30.0M
RL2950	50.0M

	ACT Single Mode Fiber Optic duplex patch cable 9/125 OS2	
	Item : RL29xx	Revision : 1.0
		Date : 14-05-2024
Drawn by : YMN	<small>This drawing is proprietary information of ACT Connectivity Solutions and confidential and provided to you for internal use on a need to know basis only. This document may not be duplicated for or disseminated to any third party without the prior explicit written consent of ACT Connectivity Solutions. Copies of this document, Printed or electronic, are uncontrolled and intended only for immediate use.</small>	