

Switching Software Client for Windows/Mac included!

HDMI and HDCP compliant

4 x USB 2.0 device hub ports for high-speed USB devices

IR Remote Control Capable

4-port Compact Desktop HDMI USB KVM Switch w/ IR Remote Control
Push button, keyboard hotkeys and Switching Software client for switching operation

UHI-CP04A HDMI USB KVM Switch w/ IR Remote Control

The UHI-CP04A HDMI USB KVM Switch is a 4-port compact desktop HDMI USB KVM Switch with IR remote control. It allows you to access, control, boot and reboot four HDMI-enabled multimedia computers with only one USB keyboard, mouse, monitor and optional speaker set, using the Switching Software Client installed on your PCs or Macs. It is also enabled with IR remote control, so that you can select your computer using the IR remote controller.



UHI-CP04A - Front View



UHI-CP04A - Rear View

HDMI and HDCP compliant for High-Definition video enjoyment

This HDMI USB KVM Switch supports biggest resolution up to 1080p (HDTV) /1920 x 1200 (DVI Digital Video). It also supports HDCP (High-bandwidth Digital Contents Protection).

Switching Software Support for PC and Mac

The UHI-CP04A also provides Switcher Software for PC and Mac. The software switcher can show you the current active computer and allows you to select computer as well as configure keyboard hotkeys. It appears as an icon on the system tray of your Window/Mac desktop, and will change its number icon upon switching to show the active computer port. Using this small client software, it will give KVM users utmost convenience and control.

Multi-channel audio support


The HDMI interface has integrated multi-channel audio within and hence users can enjoy high-definition sound that comes from a single HDMI cable. The UHI-CP04A allows you to leverage the multimedia systems on each of your two HDMI-enabled computers. You can monitor the audio input of each computer for maximum convenience.

USB 2.0 compliant for USB keyboard, mouse and high-speed device sharing

The USB 2.0 interface offers multi-platform support for PC, Macintosh G3/G4/G5 MAC and PowerBook. In addition to the 2 x USB 1.1 keyboard and mouse connectors, it also offers 4 x USB 2.0 device hub ports that allow high-speed connections to USB 2.0 devices such as USB storage or webcam, etc. The KVM Switching Software client supports both Windows/Mac platforms.

Features

- 4-port Compact Desktop HDMI USB KVM Switch with IR Remote Control
- Compatible to HDMI-enabled HDTV/LCD/Plasma Display
- IR remote switching control (with IR Remote controller as optional purchase)
- Support multi-channel digital audio
- USB console support for USB keyboard, mouse and high-speed USB devices
- EDID emulation for background port / Transparent for active port
- HDMI 1.3b and HDCP and DVI specifications compliant
- Video bandwidth up to 165 MHz (1.5 Gbps)
- Supports HDTV resolutions: 480i, 576i, 480p, 576p, 720p, 1080i and 1080p / 1920 x 1200 (DVI-D)
- Supports transmission distances of up to 30m (max. 15m in, 15m out)
- 4 x USB 2.0 device hub ports (2 x on front-panel and 2 x on backpanel) for high-speed device sharing
- USB 2.0/1.1 specification compliant
- Multi-platform support for PCs and Macintosh G3/G4/G5, iMAC
- Switching Software client for easy software switching on Windows and Mac platform
- User definable hotkeys
- Additional universal port switching hotkey – ScrollLock + ScrollLock – for non-Windows OS on PC platform.
- Channel selection by push button, keyboard hotkeys and Switching Software Client (for Windows/Mac)
- LED indicators for easy status monitoring



Specifications

Model No.	UHI-CP04A
Computer Connections	4 (HDMI-enabled computers)
Console Connections	1
Cables	4 x HDMI Cable 4 x USB cable
PC Port Connectors	4 x USB Type B 4 x HDMI female
Console Port Connectors	2 x USB Type A (Keyboard & Mouse & USB 2.0/1.1 Devices) 1x HDMI female 4 x USB 2.0 device hub ports
PC selection	Push button Hotkeys Switching Software (for Windows/Mac) IR Remote Controller (optional purchase)
PC port LED	4 x (Green – PC1 / Blue – PC2)
VGA Resolution	1080p (HDTV) / 1920 x 1200 (DVI digital)
Power Type	DC 5V3A power receptacle
Size	Compact Desktop
Housing	Plastic
Dimension (L x W x H)	262 x 101 x 45 mm
Safety / Emission	FCC, CE