

This safety data sheet meets the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Date of issue 2022-05-12

Versie 1

## Section 1: IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE MANUFACTURER

### 1.1. Product identification

Product code AC9510  
Product name Isopropyl Alcohol spray

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning electronic boards and plastic parts of computers/printers  
Uses advised against Do not use on humans and animals

### 1.3. Details of the supplier of the safety data sheet

Supplier Intronics B.V  
P.O. box 123, 3770 AC Barneveld  
the Netherlands




### **For more information, please contact:**

Technical support: +31 34 24 07 050

## Section 2: HAZARD IDENTIFICATION

### 2.1. Classification of the substance or mixture

#### **Regulation (EC) No 1272/2008**

-  Danger, Aerosols 1, Extremely flammable aerosol. Pressurized container: may burst if heated.
-  Warning, Eye Irrit. 2, Causes serious eye irritation.
-  Warning, STOT SE 3, May cause drowsiness or dizziness.

Adverse physicochemical, human health and environmental effects: No other hazards

### 2.2. Label elements

#### **Product identification**

Hazard pictograms:



**Signal word**

Danger

## Hazard statements:

H222+H229 Extremely flammable aerosol. Pressurized container: may burst if heated.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

## Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor/... if you feel unwell.

P403 Store in a well-ventilated place.

P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions: None

Contains propan-2-ol; isopropyl alcohol; isopropanol

Special provisions according to Annex XVII of REACH and subsequent amendments: None

**2.3. Other hazards**

vPvB Substances: None - PBT Substances: None

Other Hazards: No other hazards










### Section 3: COMPOSITION AND INFORMATION ON INGREDIENTS

#### 3.1 Substances

N/A

#### 3.2 Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
>= 60% - < 70%	propan-2-ol; isopropyl alcohol; isopropanol	Index number: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7 REACH No.: 01-2119457558-25-xxxx	 2.6/2 Flam. Liq. 2 H225  3.3/2 Eye Irrit. 2 H319  3.8/3 STOT SE 3 H336
>= 7% - < 10%	2-butoxyethanol; ethylene glycol monobutyl ether	Index number: 601-003-00-5 CAS: 74-98-6 EC: 200-827-9 REACH No.: 01-2119486944-21-0046	 2.2/1 Flam. Gas 1 H220  2.5 Press. Gas H280
>= 15% - < 20%	propane	Index number: 601-003-00-5 CAS: 74-98-6 EC: 200-827-9 REACH No.: 01-2119486944-21-0046	 2.2/1 Flam. Gas 1 H220  2.5 Press. Gas H280
>= 7% - < 10%	Hydrocarbons, C4; Petroleum gas	Index number: 649-113-00-2 CAS: 87741-01-3 EC: 289-339-5 REACH No.: 01-2119480480-41-xxxx	 2.5 Press. Gas H280  2.2/1 Flam. Gas 1 H220 DECLK (CLP)*

\*DECLK (CLP): This substance is classified in accordance with Note K, Annex VI of EC Regulation CE 1272/2008. The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w 1,3- butadiene (Einecs No 203-450-8), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P210-P403 shall apply.

## Section 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

<b>Inhalation</b>	Remove casualty to fresh air and keep warm and at rest.
<b>Skin contact</b>	Immediately take off all contaminated clothing. Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash thoroughly the body (shower or bath). Remove contaminated clothing immediately and dispose off safely. After contact with skin, wash immediately with soap and plenty of water.
<b>Eye contact</b>	After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Protect uninjured eye.
<b>Ingestion</b>	Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

### 4.2. Most important acute and delayed symptoms and effects

**Main symptoms** For symptoms and effects due to the contained substances see chapter 11

### 4.3. Indication of the requirement for immediate medical attention and special treatment

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

**Treatment:** Follow the doctor's instructions.

## Section 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing material

**Suitable extinguishing material** CO2 or Dry chemical fire extinguisher.

**Unsuitable extinguishing material** None in particular

### 5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.  
Do not inhale explosion and combustion gases.

### 5.3. Advice for firefighters

Use suitable breathing apparatus .  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Keep containers cool with water spray.  
Move undamaged containers from immediate hazard area if it can be done safely.  
Normal elements for fire fighting, such as a self-contained compressed air open-circuit respirator (EN 137), fire-retardant suit (EN469), flame-retardant gloves (EN 659) and fire boots (HO A29 or A30).

## Section 6: MEASURES FOR THE ACCIDENTAL RELEASE OF THE SUBSTANCE

### **6.1. Personal precautions, protective equipment, and emergency procedures**

Wear personal protection equipment.  
Remove all sources of ignition.  
Remove persons to safety.  
See protective measures under point 7 and 8.

### **6.2. Environmental precautions**

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.  
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.  
Suitable material for taking up: absorbing material, organic, sand  
Retain contaminated washing water and dispose it.

### **6.3. Methods and material for containment and cleaning up**

For containment:  
Limit in case of leakage of significant quantities of product. Contain the spread of small quantities of product with earth, sand or other inert absorbent material.

For cleaning up:  
Wash with plenty of water.  
Wet clean or vacuum up solids.  
Clear spills immediately

Other information:  
Don't use a brush or compressed air for cleaning surfaces or clothing.

### **6.4. Reference to other sections**

See also section 8 and 13

## Section 7: HANDLING AND STORAGE

### **7.1. Precautions for safe handling of the substance or mixture**

#### **Advice on safe handling**

Avoid contact with skin and eyes, inhalation of vapours and mists.  
Do not use on extensive surface areas in premises where there are occupants.  
Don't use empty container before they have been cleaned.  
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.  
See also section 8 for recommended protective equipment.  
Exercise the greatest care when handling or opening the container.  
Use localized ventilation system.

#### **Hygiene measures**

Contaminated clothing should be changed before entering eating areas. Do not eat or drink while working.

**7.2. Conditions for safe storage, including incompatible products**

<b>Technical Measures</b>	store in a cool, well ventilated place, away from heat, flames, sparks or other sources of ignition
<b>Storage conditions</b>	keep only in the original container away from sunlight neighborhoods. Avoid contact with skin and eyes, inhalation of vapours/mists/dusts. Do not use empty containers before they are cleaned. Contaminated clothing must be replaced before entering the dining areas. At work do not eat or drink. Avoid the accumulation of electrostatic charges. Do not smoke. Always keep in a well ventilated place. Store at below 50 °C. Keep away from unguarded flame and heat sources. Avoid direct exposure to sunlight. Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight. Keep away from food, drink and feed.
<b>Incompatible substances</b>	Keep away from acids. Keep away from combustible materials. Keep away from water or from damp surroundings. See subsection 10.5 Instructions as regards storage premises: Cool and adequately ventilated. Safety electric system.

**7.3. Specific end use**

<b>Risk management measures (RBM)</b>	None known (based on information provided).
---------------------------------------	---

**Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION****8.1. Control parameters**

propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0  
ACGIH - TWA(8h): 200 ppm - STEL: 400 ppm

2-butoxyethanol; ethylene glycol monobutyl ether - CAS: 111-76-2  
EU - TWA(8h): 98 mg/m<sup>3</sup>, 20 ppm - STEL: 246 mg/m<sup>3</sup>, 50 ppm  
ACGIH - TWA(8h): 20 ppm

propane - CAS: 74-98-6  
ACGIH

**Derived doses without effect (DNEL)**

propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0  
Consumer: 319 mg/kg/d - Exposure: Human Dermal - Frequency: Long Term (repeated)  
Consumer: 89 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term (repeated)  
Consumer: 26 mg/kg/d - Exposure: Human Oral - Frequency: Long Term (repeated)  
Consumer: 888 mg/kg/d - Exposure: Human Dermal - Frequency: Long Term, systemic effects  
Consumer: 500 mg/m<sup>3</sup> - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

**Predicted no effect concentration (PNEC)**

propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0

Target: Fresh Water - Value: 140.9 mg/l

Target: Marine water - Value: 140.9 mg/l

Target: Freshwater sediments - Value: 552 mg/kg

Target: Marine water sediments - Value: 552 mg/kg

Target: Soil (agricultural) - Value: 28 mg/kg

**8.2. Measures to control exposure****Thermal Hazards**

Do not expose to temperatures exceeding 50° c.

**Eye / face protection**

Eye glasses with side protection. EN 166

**Hand protection**

Protect hands with category II work gloves (ref. Directive 89/686 / EEC and standard EN 374). Use PVC or nitrile rubber gloves.

**Skin and body protection**

Wear work clothes with long sleeves and protective footwear for professional use of category II (ref. Directive 89/686 / CEE and norm EN ISO 20344). Wash with soap and water after removing protective clothing.

**Respiratory protection**

if the TLV thresholds are exceeded, use a mask with filter type A (against vapors of organic compounds) in accordance with EN 141.

**Environmental exposure controls**

emissions from production processes, including those from ventilation equipment should be inspected for the purposes of enforcement of environmental protection  
do not dispose of the product in the environment

**Appropriate engineering controls:**

None

<b>Section 9: PHYSICAL AND CHEMICAL PROPERTIES</b>
--

**9.1. Information about basic physical and chemical properties**

Properties	Value	Method:	Notes:
Appearance and colour:	Spray can	--	--
Odour:	sweet of solvent	--	--
Odour threshold:	Not Relevant	--	--
pH:	Not Relevant	--	--
Melting point / freezing point:	Not Relevant	--	--
Initial boiling point and boiling range:	Not Relevant	--	--
Flash point:	< 0 ° C	--	--
Evaporation rate:	Not Relevant	--	--
Solid/gas flammability:	Not Relevant	--	--
Upper/lower flammability or explosive limits:	Not Relevant	--	--
Vapour pressure:	5 bar +/- 1	--	--
Vapour density:	>2	--	--
Relative density:	0.725 +/- 0.05	--	--
Solubility in water:	Not Relevant	--	--
Solubility in oil:	Not Relevant	--	--
Partition coefficient (n-octanol/water):	Not Relevant	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	Not Relevant	--	--
Viscosity:	Not Relevant	--	--
Explosive properties:	section 10.3	--	--
Oxidizing properties:	Not Relevant	--	--

**9.2. Other information**

Properties	Value	Method:	Notes:
kinematic viscosity:	Not Relevant	--	--
Miscibility:	Not Relevant	--	--
Fat Solubility:	Not Relevant	--	--
Conductivity:	Not Relevant	--	--
Substance Groups relevant properties	Not Relevant	--	--





## Section 12: ECOLOGICAL INFORMATION

### **12.1. Toxicity**

Adopt good working practices, so that the product is not released into the environment.

ALCOOL ISOPROPILICO

Not classified for environmental hazards

**Aquatic acute toxicity:**

Negative - Classification derived from the classification of the components

**Aquatic chronic toxicity:**

Negative - Classification derived from the classification of the components

**Bacteria toxicity:**

Negative - Classification derived from the classification of the components

**Terrestrial toxicity:**

Negative - Classification derived from the classification of the components

**Plant toxicity:**

Negative - Classification derived from the classification of the components

**Effects in sewage plants:**

Negative - Classification derived from the classification of the components

Propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0

**Aquatic acute toxicity:**

Endpoint: EL50 - Species: Daphnia > 100 mg/l - Duration h: 48

Endpoint: EL50 - Species: Algae > 100 mg/l - Duration h: 72

Endpoint: EL50 - Species: Fish > 100 mg/l - Duration h: 48

### **12.2. Persistence and degradability**

No information available.

### **12.3. Bioaccumulation**

No information available.

### **12.4. Mobility in the soil**

No information available.

### **12.5. Results of PBT and vPvB assessment**

Not applicable

### **12.6. Other harmful effects**

No information available.

## Section 13: DISPOSAL INSTRUCTIONS

### **13.1. Waste treatment methods**

**Waste from residues / unused products**

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

**Contaminated packaging**

Contaminated packaging should be sent for recovery or disposal in compliance with national regulations on waste management reuse if possible. Product residues are to be considered hazardous waste. disposal must be entrusted to authorised waste management, in compliance with national and, where appropriate, local.

## Section 14: INFORMATION REGARDING TRANSPORT

<b>14.1 UN / ID No</b>	ADR-UN number: 1950 IATA-Un number: 1950 IMDG-Un number: 1950
<b>14.2 Proper shipping name</b>	ADR-Shipping Name: FLAMMABLE AEROSOLS IATA-Technical name: FLAMMABLE AEROSOLS IMDG-Technical name: FLAMMABLE AEROSOLS
<b>14.3 Hazards class</b>	ADR-Class: 2.5°F CAP. 2.2.2.1.6 UN1950 IATA-Class: 2.1 IMDG-Class: 2 Aerosols UN 1950
<b>14.4 Packing group</b>	ADR-Packing Group: N.A. IATA-Packing group: N.A. IMDG-Packing group: N.A.
<b>14.5 Harmful to the environment</b>	no
<b>Marine pollution</b>	no
<b>14.6 Special Provisions</b>	ADR-Transport category (Tunnel restriction code): D IMDG-Technical name: FLAMMABLE AEROSOLS IMDG-Page: 2102
<b>14.7 Transport in bulk in accordance with Annex II to MARPOL 73/78 and the IBC code</b>	No

## Section 15: REGULATION

### 15.1. Specific safety, health and environmental regulations and legislation for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)  
 Dir. 2000/39/EC (Occupational exposure limit values)  
 Regulation (EC) n. 1907/2006 (REACH)  
 Regulation (EC) n. 1272/2008 (CLP)  
 Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013  
 Regulation (EU) 2015/830  
 Regulation (EU) n. 286/2011 (ATP 2 CLP)  
 Regulation (EU) n. 618/2012 (ATP 3 CLP)  
 Regulation (EU) n. 487/2013 (ATP 4 CLP)  
 Regulation (EU) n. 944/2013 (ATP 5 CLP)  
 Regulation (EU) n. 605/2014 (ATP 6 CLP)  
 Regulation (EU) n. 2015/1221 (ATP 7 CLP)  
 Regulation (EU) n. 2016/918 (ATP 8 CLP)  
 Regulation (EU) n. 2016/1179 (ATP 9 CLP)  
 Regulation (EU) n. 2017/776 (ATP 10 CLP)  
 Regulation (EU) n. 2018/669 (ATP 11 CLP)  
 Regulation (EU) n. 2018/1480 (ATP 13 CLP)  
 Regulation (EU) n. 2019/521 (ATP 12 CLP)  
 Regulation (EU) n. 2020/217 (ATP 14 CLP)  
 Regulation (EU) n. 2020/1182 (ATP 15 CLP)  
 Regulation (EU) n. 2021/643 (ATP 16 CLP)

**Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:** None

Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III)  
Regulation (EC) nr 648/2004 (detergents).  
Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1  
Product belongs to category: P3a

**15.2. Chemical safety assessment** No information available

### Section 16: OTHER INFORMATION

#### **An explanatory list of abbreviations and acronyms used in the safety data sheet**

##### **Relevant hazard statements**

H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
H220 Extremely flammable gas.  
H280 Contains gas under pressure; may explode if heated  
H332 Harmful if inhaled.  
H302 Harmful if swallowed.  
H315 Causes skin irritation.

<b>Hazard class and hazard category</b>	<b>Code</b>	<b>Description</b>
Flam. Gas 1	2.2/1	Flammable gas, Category 1
Aerosols 1	2.3/1	Aerosol, Category 1
Press. Gas	2.5	Gases under pressure
Flam. Liq. 2	2.6/2	Flammable liquid, Category 2
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3

Paragraphs modified from the previous revision:

SECTION 9: Physical and chemical properties

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. <b>1272/2008</b>	Classification procedure
Aerosols 1, H222+H229	On basis of test data
Eye Irrit. 2, H319	Calculation method
STOT SE 3, H336	Calculation method

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities.

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.

**Date of issue** 2022-05-12

**Revision date** Not applicable.

**Reason for revision:** Not applicable.


**This safety data sheet is in accordance with the requirements of Regulation (EC) 1907/2006, 1272/2008 and regulation (EU) No 2015/830.**

**Disclaimer**

The information in this SDS is prepared to the best of our ability and reflects the state of knowledge at the time of publication. The data is presented as a guideline for the safe handling, use, storage, transport, and disposal of the substance, and cannot be regarded as a guarantee certificate or quality specification. The information given relates to the substance as such and may no longer be valid when the substance is used together with other substances or in processes.

**End of the safety data sheet**

**Intronics BV**  
Shardene Brink, *compliance officer*



.....  
SIGNATURE