

This safety data sheet meets the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Date of issue 2019-10-15

Version 1

Section 1: IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE MANUFACTURER

1.1. Product identification

Product code L5020
Product name LABEL OFF 50 200ML KC

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaners - Precision
Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Supplier Intronics B.V
 P.O. box 123, 3770 AC Barneveld
 the Netherlands

For more information, please contact:

Technical support: +31 34 24 07 050

1.4 Emergency contact:

CRC Industries Europe, Belgium: Tel .: +32 (0) 52 / 45.60.11 (office hours)
the Netherlands: National poisoning information center: 030 274 88 88 (Only for professional emergency workers)
Belgium: Poison Center: 070 - 245 245

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Physical: Aerosols, category 1
Extremely flammable aerosol.
Pressurised container: May burst if heated.
Classification is based on test data.

Health: Skin irritation, category 2
Causes skin irritation.
Skin sensitization, category 1
May cause an allergic skin reaction.
Specific target organ toxicity - single exposure, category 3
May cause drowsiness or dizziness.
Classification based on calculation method.

Environment: Hazardous to the aquatic environment, acute category 1

Very toxic to aquatic life.

Hazardous to the aquatic environment, chronic category 1

Very toxic to aquatic life with long lasting effects.

Classification based on calculation method.

2.2. Label elements

Product identifier:	Contains: Orange, sweet, extract hydrocarbons
Hazard pictogram(s):	  
Signal word:	Danger
Hazard statement(s):	H222 : Extremely flammable aerosol. H229 : Pressurised container: May burst if heated. H315 : Causes skin irritation. H317 : May cause an allergic skin reaction. H336 : May cause drowsiness or dizziness. H410 : Very toxic to aquatic life with long lasting effects.
Precautionary statement(s):	P102 : Keep out of reach of children. P210 : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 : Do not spray on an open flame or other ignition source. P251 : Do not pierce or burn, even after use. P261 : Avoid breathing dust/fume/gas/mist/vapours/spray. P271 : Use only outdoors or in a well-ventilated area. P273 : Avoid release to the environment. P280 : Wear protective gloves/protective clothing/eye protection/face protection. P410/412 : Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. P501-2 : Dispose of contents/container to an authorised waste collection point.
Supplemental Hazard information:	None
Regulation (EC) No	aliphatic hydrocarbons > 30 %

648/2004 on detergents:

perfumes

limonene

2.3. Other hazards

no information available

Section 3: COMPOSITION AND INFORMATION ON INGREDIENTS

3.1 Substances / 3.2 Mixtures

Hazardous ingredient	Registration number	CAS-nr.	EC-nr	w/w %	Hazard Class and Category	Hazard statement	Notes
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane	01-2119475514-35	-	(921-024-6)	25-50	Flam. Liq. 2, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2	H225,H315,H336,H304,H411	B,Q
cyclohexane	01-2119463273-41	110-82-7	203-806-2	10-25	Flam. Liq. 2, Asp. Tox. 1, Skin Irrit. 2, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 1	H225,H304,H315,H336,H400,H410	A
Orange, sweet, extract	01-2119493353-35	8028-48-6	232-433-8	10-25	Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1, Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1	H226,H315,H317,H304,H400,H410	
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics	01-2119463258-33	-	(919-857-5)	10-25	Flam. Liq. 3, Asp. Tox. 1, STOT SE 3	H226,H304,H336	B,Q
carbon dioxide	-	124-38-9	204-696-9	1-5	Press. Gas	H280	A,G

Explanation notes

A : substance with Community workplace exposure limit

B : substance with national established workplace exposure limit

G : exempted from the obligation to register in accordance with art.2(7)of REACH Regulation No 1907/2006

Q : The CAS-no is only an indicative identifier to be used outside the EU for global inventory entries.

(* Explanation phrases : see chapter 16)

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Contact with eyes : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Contact with skin : Remove contaminated clothing immediately and drench affected skin with plenty of water. Then wash with soap and water Seek medical advice

Inhalation : IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Ingestion : If swallowed do not induce vomiting because of risk of aspiration into the lungs. If aspiration is suspected obtain immediate medical attention

4.2. Most important acute and delayed symptoms and effects

Inhalation : Excessive inhalation of solvent vapours may give rise to nausea, headaches and dizziness

Ingestion : After vomiting of swallowed product aspiration into lungs is likely. Solvents may induce chemical pneumonia.

Skin contact :	Symptoms : sore throat, abdominal pain, nausea, vomiting
	Irritating to skin May cause sensitisation by skin contact.
Eye contact :	Symptoms : redness and pain
	May cause irritation. Symptoms : redness and pain

4.3. Indication of the requirement for immediate medical attention and special treatment

General Advice If you feel unwell, seek medical advice (show the label where possible If symptoms persist always call a doctor.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing material

Suitable extinguishing material foam, carbon dioxide or dry agent

5.2. Special hazards arising from the substance or mixture

Aerosols may explode if heated above 50°C Forms hazardous decomposition products CO,CO2

5.3. Advice for firefighters

Keep container(s) exposed to fire cool, by spraying with water
In case of fire, do not breathe fumes

Section 6: MEASURES FOR THE ACCIDENTAL RELEASE OF THE SUBSTANCE

6.1. Personal precautions, protective equipment, and emergency procedures

Shut off all ignition sources
Ensure adequate ventilation
Wear protective gloves/protective clothing/eye protection/face protection.

6.2. Environmental precautions

Do not allow to enter public sewers and watercourses

6.3. Methods and material for containment and cleaning up

Absorb spillage in suitable inert material

6.4. Reference to other sections

For further information see section 8

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling of the substance or mixture

Keep away from heat and sources of ignition

Take precautionary measures against static discharges
 Equipment should be earthed
 Use explosion-proof electrical/ventilating/lighting/.../equipment.
 Use only non-sparking tools.
 Do not breathe aerosols or vapours.
 Ensure adequate ventilation
 Do not get in eyes, on skin, or on clothing.
 Wear protective gloves/protective clothing/eye protection/face protection.
 Contaminated work clothing should not be allowed out of the workplace.

7.2. Conditions for safe storage, including incompatible products

Pressurized container : protect from sunlight and do not expose to temperatures exceeding 50°C.
 Keep out of reach of children.

7.3. Specific end use

Cleaners – Precision

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

Hazardous ingredient	CAS-nr.	method	
EU established exposure limits:			
cyclohexane	110-82-7	TWA	200 ppm
carbon dioxide	124-38-9	TWA	9000 mg/m3
		STEL	1800 mg/m3
National established exposure limits, United Kingdom			
cyclohexane	110-82-7	TWA	100 ppm
		STEL	300 ppm
carbon dioxide	124-38-9	TWA	5000 ppm
		STEL	15000 ppm

8.2. Measures to control exposure

Control procedures

Ensure adequate ventilation
 Keep away from heat and sources of ignition
 Take precautionary measures against static discharges

Personal protection

Take precautions to avoid contact with skin and eyes when handling the product.
 Ensure adequate ventilation

Inhalation

In case of insufficient ventilation, wear suitable respiratory equipment.

recommended respiratory protection:

Air purifying respirator equipped with organic gas/vapor cartridge (type AX)

hands and skin

When handling the product wear chemical-resistant gloves (standard EN 374).

Recommended gloves

Nitrile

eyes	Wear safety eyewear according to EN 166.
Environmental protection	Avoid release to the environment. Collect spillage.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information about basic physical and chemical properties

(for aerosols data for the product without propellant)

Apperance :	liquid.
colour :	Colourless to yellow.
odour :	Citrus.
pH :	Not applicable.
Boiling point/range :	55-190
Flash point :	< 0 °C
Evaporation rate :	Not available.
Explosion limits :	Not available.
lower limit :	Not available.
Vapour pressure :	Not available.
Relative density :	0.753 g/cm ³ (@ 20°C)
Solubility in water :	Insoluble in water
Auto-ignition :	> 200 °C
Viscosity :	Not applicable

9.2. Other information

VOC = volatile organic compounds 722 g/l

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

No hazardous reactions known if used for its intended purpose

10.2. Chemical stability

Stable

10.3. Possible hazardous reactions

No hazardous reactions known if used for its intended purpose

10.4. Conditions to avoid

Avoid overheating

10.5. Incompatible materials

Strong oxidising agent

10.6. Hazardous decomposition products

CO,CO₂

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

acute toxicity:	based on available data the classification criteria are not met
skin corrosion/irritation:	Causes skin irritation
serious eye damage/irritation:	based on available data the classification criteria are not met
skin sensitisation:	May cause an allergic skin reaction.
germ cell mutagenicity:	based on available data the classification criteria are not met
carcinogenicity:	based on available data the classification criteria are not met
toxicity for reproduction:	based on available data the classification criteria are not met
STOT-single exposure:	May cause drowsiness or dizziness.
STOT repeated exposure:	based on available data the classification criteria are not met
aspiration hazard:	based on available data the classification criteria are not met

Information on likely routes of exposure:

Inhalation : Inhalation of solvent vapours may give rise to nausea, headaches and dizziness

Ingestion : After vomiting of swallowed product aspiration into lungs is likely. Solvents may induce chemical pneumonia

Skin contact : May cause sensitisation by skin contact.
Irritating to skin

Eye contact : May cause irritation.

Toxicological data :

Hazardous ingredient	CAS-nr.	method	
cyclohexane	110-82-7	LD50 oral rat	> 5000 mg/kg
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics	-	LD50 oral rat	>5000 mg/kg
		LC50 inhal.rat	4951 mg/m3
Hydrocarbons, C6-C7, n-alkanes,isoalkanes,cyclics,< 5% n-hexane	-	LD50 derm.rabit	>5000 mg/kg
		LD50 oral rat	> 5000 mg/kg
		LC50 inhal.rat	> 25000 mg/m3
		LD50 derm.rat	> 2000 mg/kg

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Hazardous to the aquatic environment, acute category 1

Very toxic to aquatic life.

Hazardous to the aquatic environment, chronic category 1

Very toxic to aquatic life with long lasting effects.

Hazardous ingredient	CAS-nr.	method	
cyclohexane	110-82-7	EC50 daphnia	0.9 mg/l
Hydrocarbons, C6-C7, n-alkanes,isoalkanes,cyclics,< 5% n-hexane	-	LC50 fish	> 10 mg/l
		EC50 daphnia	3 mg/l

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulation

No information available.

12.4. Mobility in the soil

Insoluble in water

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other harmful effects

No experimental data available

Section 13: DISPOSAL INSTRUCTIONS
--

13.1. Waste treatment methods

Product : This material and its container must be disposed of in a safe way.
Do not discharge into drains or the environment, dispose to an authorised waste collection point.

Contaminated packaging : Disposal should be in accordance with local, state or national legislation

Section 14: INFORMATION REGARDING TRANSPORT
--

14.1 UN / ID No	UN-number : 1950
14.2 Proper shipping name	AEROSOLS
14.3 Hazards class	Class: 2.1
	ADR/RID - Classification code: 5F
14.4 Packing group	Not applicable.
14.5 Harmful to the environment	ADR/RID - Environmentally hazardous: Yes
Marine pollution	IMDG : No IATA/ICAO - Environmentally hazardous: Yes
14.6 Special Provisions	ADR/RID - Tunnelcode: (D)
	IMDG - Ems: F-D, S-U
	IATA/ICAO - PAX: 203
	IATA/ICAO - CAO 203
14.7 Transport in bulk in accordance with Annex II to MARPOL 73/78 and the IBC code	No information available

Section 15: REGULATION

15.1. Specific safety, health and environmental regulations and legislation for the substance or mixture**European Union**

The Safety Data Sheet is compiled according to the current European requirements.

Regulation (EC) No 1907/2006 (REACH)

Regulation (EC) No 1272/2008 (CLP)

Dir. 2013/10/EU, 2008/47/EC amendment of the aerosol dispenser directive 75/324/EEC.

15.2. Chemical safety assessment

Chemical safety assessment No information available

Section 16: OTHER INFORMATION**An explanatory list of abbreviations and acronyms used in the safety data sheet**

*Explanation hazard statements:

H225 : Highly flammable liquid and vapour.
H226 : Flammable liquid and vapour.
H280 : Contains gas under pressure; may explode if heated.
H304 : May be fatal if swallowed and enters airways.
H315 : Causes skin irritation.
H317 : May cause an allergic skin reaction.
H336 : May cause drowsiness or dizziness.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.
H411 : Toxic to aquatic life with long lasting effects.

REVISIONS IN CHAPTRE :

8.2. Exposure controls acronyms and synonyms:
TWA = time weight average
STEL = short time exposure limit
VOC = volatile organic compounds PBT = persistant bioaccumulative
toxic vPvB = very persistant very bioaccumulative

Date of issue 2019-10-15

Revision date Not applicable.

Reason for revision: Not applicable.

This safety data sheet is in accordance with the requirements of Regulation (EC) 1907/2006

Disclaimer

The information in this SDS is prepared to the best of our ability and reflects the state of knowledge at the time of publication. The data is presented as a guideline for the safe handling, use, storage, transport, and disposal of the substance, and cannot be regarded as a guarantee certificate or quality specification. The information given relates to the substance as such and may no longer be valid when the substance is used together with other substances or in processes.

End of the safety data sheet

Intronics BV
Shardene Brink, *compliance officer*



.....
SIGNATURE