



HDMI Receiver (set) via UTP Cable

Receive an HDMI signal over a UTP cable

EAN: 8716065328998

Packaging contents: 2 x AB7813, 2 x Power supply 5V 1A, Quick Install Guide

OVERVIEW

- HDMI CAT Receiver 50m single UTP cable, 3D support
- HDMI receiver for use with the AB7812 1x4 HDMP Splitter
- Maximum (3D) resolution: 1080p @ 60Hz
- Suitable for use with UTP cables
- Compatible with HDMI High Speed (HDMI 1.4a)
- Power adapters included





SPECIFICATIONS

- Dimensions in mm. (WxHxD): 85x21x49
- Weight in grams: 117g
- · Power consumption: 3W
- Power supply: 5V 1A
- Transmission Distance: max. 50m. over single Cat6 UTP cable
- Maximum HDMI input/output cable length: 5M
- Supported resolutions 50/60hz compatible: 480i/576i/480P/576P/720P/1080i/1080P
- Supported 3D format: 1080p@30/60hz
- Passthrough Audio: DTS-HD MA, Dolby True-HD, Dolby Digital.
- HDMI standard: HDMI high speed





1



HDMI Receiver (set) via UTP Cable


Receive an HDMI signal over a UTP cable

DESCRIPTION

The AB7813 Receiver set must be used in combination with the HDMI AB7812 Splitter/Extender. The receiver displays the extended signal on multiple screens. The maximum resolution is (3D) 1080p @ 60Hz. The AB7813 is a set of two receivers for connecting two TVs.

Display one video source to multiple TVs

You want to display your company presentation on multiple TVs at the reception or cafeteria area in your office? The Eminent AB7812 Extender and AB7813 Receiver Set are the perfect solution. The AB7812 extends the HDMI signal from your source device and enables you to display your video up to four target screens without compromising video quality. The AB7813 set contains two receivers for connecting two TVs/screens. Up to four receivers can be connected to the AB7812 Splitter.



Connecting your devices

Connect the AB7812 Extender with an HDMI High Speed cable to your HDMI source. Connect the AB7813 Receiver to a TV with an HDMI High Speed cable. Use a UTP cable to connect the AB7812 Extender to a AB7813 Receiver with a length up to 50 meters. The extender and the receivers come with additional AC Adapters.



2



HDMI Receiver (set) via UTP Cable

Receive an HDMI signal over a UTP cable


IMAGES











3