


# CAT5 RS-232 EXTENDER

**CONTROL YOUR RS-232 DEVICE  
OVER 1000M/3300 FT WITH CAT5 CABLE**



- Full-duplex data communication
- Sends RS-232 data at 57.6 kbps up to 1000 m/3,300 ft
- Fully RS-232 compatible
- Low-cost solution
- Advanced CAT5 technology – low density cabling that is easy to install
- Pure hardware solution – real time data transfer, no software conflicts
- Small unit size - compact and convenient
- Easy plug-and-play installation
- Single power supply placed at any end
- **3 Year Warranty**



## CAT5 RS-232 EXTENDER

### CONTROL YOUR RS232 DEVICE OVER 1000M/3300FT WITH CAT5 CABLE

The **CAT5 RS-232 Extender** is an affordable, hardware-based solution providing remote access and control of any RS-232 protocol device. With regular RS-232 devices you are limited to an immediate area of control. The **CAT5 RS-232 Extender** extends control to over 1000m/3300ft. This provides you with a tremendous amount of flexibility in your topology. Now you can place RS-232 devices in any location you want and control them remotely. The **RS-232 Extender** also provides full duplex transmission and hardware handshake signals, with no need for any set up or configuration.

#### Multiple Applications

Thanks to its powerful functionality the **CAT5 RS-232 Extender** is an excellent solution for a variety of applications and environments. For example:

- Place a touch screen outdoors and have it control a computer indoors (with VGA extender)
- Control a third party presentation unit remotely
- Transfer data or files between computers
- Extend control over audio mixers, routers, firewalls, dumb terminals, and home security alarm systems up to 1000m/3300 ft.

#### Also Available

##### Phantom Specter RS-232

Manage up to 63 serial ports with this micro-sized KVM switch, giving you full control in mixed serial and KVM environments.

See [www.minicom.com](http://www.minicom.com) for more information

#### Specifications:

Model	Local Unit	Remote Unit
System cable	CAT5	
Maximum Distance	1000m / 3000ft	
Connection	RJ45 System Jack Power DB9F- RS232	RJ45 System Jack Power DB9M- RS232
DB9 Pin Out	Pin 1 - Pin 2 - Received Data Pin 3 - Transmit Data Pin 4 - Data Terminal Ready Pin 5 - Signal Ground	Pin 6 - Data Set Ready Pin 7 - Request To Send Pin 8 - Clear To Send Pin 9 -
Dimensions	75x45x25 mm / 2.95x1.77x1.0 in	
Weight	120g / 3.86 oz	
Shipping Weight	680g / 21.86 oz	
Power Supply	Power Adapter 12VDC 2A / 21.86 oz	
Operating Temp.	Up to 55°C / 131°F	
Storage Temp.	-40 – 70°C / -104 – 158°F	
Warranty	3 Years	



#### Ordering Information:

Order No.: 0VS22013  
UPC Code: 654518400984



Local Unit



Local Unit



Remote Unit



Remote Unit

# MINICOM

[www.minicom.com](http://www.minicom.com)

#### International HQ

Jerusalem, Israel  
Tel: +972 2 535 9666  
Fax: +972 2 535 9693  
[minicom@minicom.com](mailto:minicom@minicom.com)

#### North American HQ

Linden, NJ, USA  
Tel: +1 908 486 2100  
Fax: +1 908 486 7788  
[info.usa@minicom.com](mailto:info.usa@minicom.com)

#### Europe

Zurich, Switzerland  
Tel: +41 1 455 6220  
Fax: +41 1 455 6225  
[info.german@minicom.com](mailto:info.german@minicom.com)

#### Italy

Rome, Italy  
Tel: +39 06 820 97902  
Fax: +39 06 820 97903  
[info.italy@minicom.com](mailto:info.italy@minicom.com)

Authorized Reseller: