



L±T




NOTE:

1. CABLE:NON-UL,28#*9C+1+AL,OD=5.0mm,BEIGE COLOR,PVC JACKET.
2. LENGTH:L
3. CONNECTORS: DB9F * 1PCS,DB9M*1PCS(BLUE INSULATOR,NICKEL PLATED)
4. MOLD:BEIGE MOLDING.
5. SCREW: #4*40 INCH SCREW *4PCS
6. CONTACTS:
DB9M | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 64
DB9F | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 64
7. OPEN/SHORT TEXT 100% TEXT.
INSULATION: MIN.5M.



RoHS COMPLIANT.

Company	I.B.V	Goods Code		Draw	FC001 WJF	Date	2009.10.14	AK 230X	
ITEM NO.	AK 230X	Drawing Evidence :		Check		Date			
Goods NO.				Approval		Date			
Original NO.	S-*****	Unit(mm)							

1PCS/PE BAG(0.06*190*300mm)+Sticker



10000±100mm



NOTE:


1. CABLE:NON-UL,26#*9C+1+AL,OD=5.0mm,BEIGE COLOR,PVC JACKET.
2. LENGTH:10000mm
3. CONNECTORS: DB9F * 1PCS,DB9M*1PCS(BLUE INSULATOR,NICKEL PLATED)
4. MOLD:BEIGE MOLDING.
5. SCREW: #4*40 INCH SCREW *4PCS
6. CONTACTS:


DB9M		1		2		3		4		5		6		7		8		9		64
DB9F		1		2		3		4		5		6		7		8		9		64

7. OPEN/SHORT TEXT 100% TEXT.
- INSULATION: MIN.5M.

RoHS COMPLIANT.

Company	I.B.V		Goods Code			D		
ITEM NO.	AK 2309	Drawing Evidence :				C	Revised spell CONTACTS of NOTE 6.	2011.03.30
Goods NO.			Draw	FC001 WJF		Date	2009.10.14	
Original NO.	S-*****		Check			Date		
			Approval			Date		
					VER. A	REVISE	Date	





NOTE:

- 1.CABLE:#26,9C+1+AL/MY,O.D:6.0
- 2.CONNECTOR:DB9M,BLUE
DB9F,BLUE
- 3.THUMBSCREW:#4-40UNC,E32

NOTE:

- 1.TOTAL LENGTH:L
- 2.COLOR:BEIGE
- 3.MOLDED TYPE

ITEM NO.	L
AK2308	7000±100mm
AK2309	10000±100mm
AK2321	15000±100mm
AK2322	20000±100mm
AK2323	25000±100mm
AK2324	30000±100mm

CONFIGURATION:

DB9M

DB9F

1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
SHIELD	SHIELD

For internal use only!!!

DATE	8 JAN,2002	PARTS NO	
UNIT	MM	DRAWN NO	AK2308
SCALE		BUYER NO	002

TITLE:

DB9 MALE-DB9 FEMALE
(MOLDED TYPE)

NO.	DESCRIPTION	QTY
④	THUMBSCREW:#4-40UNC,E32	4
③	#26,9C+1+AL/MY,O.D:6.0,BEIGE	L
②	DB9F,BLUE	1
①	DB9M,BLUE	1

DRAWN	Y.C.C	CHECK	APPRO
1/8			