


AvediaServer ArtioGuest m8365 is the complete hospitality solution, enabling you to create and deliver digital signage and hospitality portals with the supporting system integration, and content and user management tools, all on a single platform.


AvediaServer Applications (m8365)

User Experience Applications



ArtioGuest Create

- Graphical drag and drop hospitality portal creation
- Create uniquely branded, full HD portal layouts with drag-and-drop simplicity
- Choose from a number of different on-screen elements to build portal layouts:
 - Live TV channels
 - Programme Guide
 - Video on Demand
 - Video sharing
 - Information pages
 - Guest (PMS required)
 - Welcome message
 - Time/Date



Digital Signage Applications

ArtioSign Create

- Graphical drag and drop signage creation
- Create uniquely branded, full HD digital signage layouts with drag-and-drop simplicity
- Choose from a number of different on-screen elements to build digital signage layouts:
 - Video
 - Image
 - Text (Static, multi-line, scrolling)
 - RSS feeds (Scrolling)
 - PDF import
 - PowerPoint import
 - Weather
 - London Transport (licensed separately artio-lic-ldn)
 - Date/Time
- Create playlists
- Advanced user permissions for multi-user access and group control
- Landscape and portrait layouts

ArtioSign Schedule

- Schedule specific content to be displayed at certain times using ArtioSign Schedule's graphical calendar interface
- Create Campaigns to combine playlists into a 24 hour/7 day repeating schedule

Channel Applications

Channel Announcer

- Enable Exterity IPTV devices to discover third party channels
- Change the SAP address for announced channels

EPG Server

- Collect and manage the channel data used to display Program Guides within ArtioPortals
- Aggregate EPG data from Exterity head end and XML sources
- Associate imported XML data with any channel
- Create organization-specific EPG

Video on Demand Applications



Asset Editor

- Edit recordings and media assets
- Video preview of assets and recordings and graphical point and click selection for download or trimming



Play

- Create and manage custom IPTV channels to stream media from the AvediaServer (up to 550 Mbps depending on bandwidth option)
- Drag and drop interface to set up assets for play channel
- Default asset feature ensures channel always present for end users



Recorder

- Create and manage recordings from network channels (up to 200 Mbps depending on bandwidth option)
- Create instantaneous, scheduled or continuous recordings



Transfer

- Asset and recording transfer control options
- Transfer recordings automatically to AvediaServers, FTP servers or file shares



Video on Demand

- Manage media assets for on-demand availability to any client devices through ArtioPortal up to 550 Mbps (depending on bandwidth option) using:
- HTTP Live Streaming (HLS)

Control and Event Applications



Smart Control

- Graphical control and management of viewing end points
 - Exterity Media Players
 - Samsung hospitality Smart TVs
 - LG hospitality Smart TVs
- Publish ArtioSign signage and ArtioGuest portals
- Grouping and drag-and-drop based management
- Initiate actions such as source change on single or groups of devices
- Send message or display on selected ArtioGuest portals



Macro Builder

- Create and manage a library of actions (macros) to be performed on IPTV devices by specified triggers



Macro Triggers

- Define and manage events triggering macros or sequences of macros
- Apply macros to one or more devices
- Macros can be triggered using:
 - Web interface
 - Configurable third party traps
 - AvediaServer API



Messaging

- Display configurable messages on specified ArtioPortal client devices



Projector Control

- Graphical control and management of data projectors
- Grouping and drag-and-drop based management
- Links projectors to AvediaPlayer Receivers
- Initiate actions such as source change on single or groups of projectors
- Automatic monitoring of projector health such as bulb and filter life
- Early warning when bulbs or filters need replaced
- Support for PJLink compatible projectors from a wide range of manufacturers

AvediaServer and System Applications



Asset Manager

- Import and manage assets for ArtioSign and ArtioGuest



AvediaCare

- List the type, MAC address, firmware version and licensed features of the Exterity IPTV devices in your network



Channel Monitor

- Monitor the status of IPTV channels on the network
- Automatic discovery of channels using SAP
- Real-time view of channel status
- Monitor channel performance including:
 - Bitrate
 - Uptime
 - Continuity
 - TEI
 - Sync errors

Director

- Monitor and manage Exterity devices
- Automatic discovery of Exterity IPTV devices
- Real-time view of device status
- Configuration of individual/multiple devices
- Upgrade firmware on other devices
- Export/import configuration
- Factory reset
- TFTP Server
- Control of individual/multiple receivers to:
 - Change channel
 - Change display mode
 - Change volume
- Scheduled configuration/control of the above features

Feature Manager

- Manage and control licensing across Exterity products to enable extra features precisely as required

Logger

- Capture historical IPTV system information for performance and event monitoring
- View detailed logs of server activity
- Control AvediaServer syslog function
- View logs from external devices

SECUREMEDIA Link

- Link to an ARRIS SECUREMEDIA® server

System

- Monitor and manage the core functions of the AvediaServer
- Monitor and control services running on the AvediaServer
- Configure network settings and view network statistics
- Carry out AvediaServer system maintenance such as upgrades or import/export configurations

TFTP Server

- Store and serve files such as firmware and other resources for IPTV devices

Users

- Create and manage AvediaServer users, configure access permissions including security and Single Sign On for AvediaServer and Active Directory users:
 - Create and edit user accounts
 - Set up profiles for groups of users
 - Configure Active Directory (LDAP) integration and Single Sign On settings
 - Set up device and user access control
 - Configure HTTPS secure server & Single Sign On (SSO) access

Web Server

- Upload and host a simple website on the AvediaServer to provide information to end users

Property Management System Integration

PMS Link

- The PMS Link application provides AvediaServer® compatibility with industry-standard Property Management Systems.
- Compatibility
 - Agilysys Visual One
 - IDS Next
 - Oracle OPERA (Formerly MICROS-Fidelio)
 - protel On-Premise
 - innQuest roomMaster
 - Oracle Hospitality Cruise (Formerly Fidelio Cruise)

Technical Specifications

System

- AvediaServer software based on CentOS
- System access via command line only for ease of use, performance and security

Management

- HTTP/HTTPS web interface for AvediaServer administration
Recommended browser: Chrome®
Contact support@exterity.com for version information
- Access the Exterity Server Admin Program using SSH or serial RS232 port on c1510/c1555
- Serial RS232 admin port (on c1510 and c1555 platforms)

Network

- DHCP or static IP addressing (recommended)

Protocols

- IP (RFC 791), TCP (RFC 793), ARP (RFC 826), DNS (RFC 1035), DHCP (RFC 2131), ICMP (RFC 792), TFTP (RFC1350), HTTP (RFC 616), SYSLOG (RFC 3164), NTP (RFC1305), SAP (RFC 2974), SDP (RFC 4566), SSH (RFC 253), SNMP (v1, v2c -RFC 1901), LDAP(RFC 4511)

Applications	AvediaServer Core Software Modules				
	m8105	m8115	m7205	m7305	m8365
AvediaServer Applications	✓	✓	✓	✓	✓
Digital Signage Applications	✓	✓*	✓*	✓*	✓*
Control and Event Applications		✓**	✓	✓	✓
Channel Applications			✓	✓	✓
User Experience Applications			✓	✓	✓
Property Management System Integration			✓***	✓***	✓
Video on Demand Applications				✓	✓

* Includes imported file conversion.

** Includes Smart Control application only.

*** Separate license required.

V8.1 06 | 2018



Exterity Headquarters

t: +44 (0) 1383 828 250

w: www.exterity.com

e: info@exterity.com

© Exterity Ltd 2018. All rights reserved. Exterity, the Exterity logo, AvediaServer, AvediaStream, ArtioPortal, AvediaPlayer, ArtioSign and ArtioGuest are registered trademarks or trademarks of Exterity Ltd. Exterity tries to ensure that all information in this document is correct but does not accept liability for any error or omission. Information and specifications are subject to change without prior notice.

