




## Sonora HD H.264 Encoder/Decoder

- ▶ Affordable streaming encoder/decoder based on one of the most trusted names in silicon: the Intel® Atom™ media processor
- ▶ Simple HDMI input for streaming online or point to point, recording to USB and automatic uploading
- ▶ Ideally suited for AV installations including classrooms, corporate settings, sports, and houses of worship

Document Number 10004188-Q01





## The best value.




You don't have to pay exorbitant prices to get a professional-grade product. Supporting resolutions up to 1080p60, this encoder/decoder gives you high definition H.264 video encode with the added bonus of built-in decode capability. Better yet, it's easy to use, with a web UI and straightforward setup process. Sonora brings affordable encoding to AV over IP workflows without sacrificing quality.

## Built on trusted silicon.

Videon has unique partnerships that give you access to the best silicon technology. Usually reserved for only the biggest consumer electronics OEMs, the Intel® Atom™ CE5300 is a high-quality Dual Core 1.2GHz media processor. With Intel, you know you're getting a quality product.

## Across a range of AV markets.

Designed specifically for applications where affordability is important, this product fits into a variety of AV workflows. Perfect for classrooms, houses of worship, sports and other installations where you need a full-featured, reliable product without spending a lot.



## Sonora HD H.264 Encoder/Decoder

- ▶ Easily stream AV over IP for houses of worship, live events, sports and education.
- ▶ Flexible data paths move content from any source to any screen.
- ▶ Based on Intel® Atom™ CE5300 media processor.



## Product Specifications

### Video Encoding/Decoding

- ▶ Dual Core 1.2GHz Intel® Atom™ Processor
- ▶ Input Resolutions
  - | **1080i**60, i59.94, i50, p60, p59.94, p30, p29.97, p25; **720p**60, p59.94, p50
- ▶ Encode Resolutions
  - | **1080i**60, i59.94, i50, p30, p29.97; **720p**60, p59.94, p50; **540p**\*; **480p**\*; **360p**\*; **270p**\*; **180p**\*;
  - \*scaled resolutions, frame rate same as source
- ▶ Output Resolutions
  - | **1080i**60, i59.94, i50, p60, p59.94, p50, p30, p29.97, p25, p24, p23.98; **720p**60, p59.94, p50; **576i**50, p50; **480i**59.94, p59.94
- ▶ Compression: H.264, Baseline, Main, High
- ▶ Bit rates: 250kbps-20Mbps; Rate control: Variable, Constant;

### Audio Encoding/Decoding

- ▶ Encode: MPEG-4 AAC-LC in ADTS 64-320kbps; Decode: MPEG-1- Layer 2, MPEG-2/MPEG-4 AAC in ADTS/LOAS
- ▶ Encode Sampling Freq: 32, 44.1, 48KHz; Decode: 48 KHz

### Streaming Capabilities

- ▶ Unicast and Multicast
  - | RTP over UDP, Raw UDP
  - | Up to 2x Unicast, 1x Multicast, and 1x RTMP simultaneous channel output
- ▶ RTMP: Wowza™, UStream, YouTube Live, DaCast
- ▶ RTSP


### I/O

- ▶ HDMI v1.4a input and output
- ▶ 2 USB 2.0 connectors
- ▶ Audio embedded in HDMI and 3.5mm Analog Audio input
- ▶ 10/100/1000 Ethernet (RJ-45)

### Network and Control

- ▶ REST API integrates with third-party controllers and applications
- ▶ Full-featured web browser based UI
  - | Designed for tablets and desktops
  - | Encoder and decoder configuration for unicast, multicast and RTMP
- ▶ DHCP (Default) / Static IP Address
- ▶ Command and Control: HTTP
- ▶ Auto-detect and control other Videon devices on subnet

| [Block Diagram and Ordering Information](#)



#### General

- ▶ +12V Input; under 15 Watts total
- ▶ Dimensions: 1.75" x 6.54" x 6.2"
- ▶ Action Button to start/stop RTMP encoding and for Factory Reset

#### Applications

- ▶ IP Encoder for Streaming Events / Houses of Worship
- ▶ Lecture Capture Encoder
- ▶ Digital Signage Appliance

#### Customer Care Promise

Videon has outstanding products, but we're about more than technology. Our Customer Care team promises:

- | Connection with a dedicated account representative
- | Quick turnaround for technical support inquiries
- | Operational excellence to ensure that customer service is our best product

To order, please visit our resellers page:  
[www.4kunder2k.com/resellers](http://www.4kunder2k.com/resellers)